


Canon powershot a480 user manual



File Name: Canon powershot a480 user manual.pdf

Size: 2453 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 16 May 2019, 13:54 PM

Rating: 4.6/5 from 600 votes.

Download Now!

Please check the box below to proceed.



I'm not a robot



reCAPTCHA
Privacy - Terms

Book Descriptions:

Canon powershot a480 user manual



Camera User Guide. AASize Alkaline Batteries x2 AV Cable AVCDC300 DIGITAL CAMERA Solution Disk Memory Card Wrist Strap WS800 Warranty "Canon Customer Card Support" Leaflet. If there is a problem with the camera while abroad, please return it to the country of sale before proceeding with a warranty claim to a Canon Customer Support Help Desk. For Canon Customer Support contacts, please see the customer support list supplied with your camera. Chapters 4 onward explain the advanced functions, letting you learn more as you read each chapter. Checking the Package Contents.2 Read This First.3 What Do You Want to Do.4 Safety Precautions.8 1 Getting Started.11. If the batteries are left inside the camera, damage caused by leakage may occur. The latter part of this chapter explains how to shoot and view movies and how to transfer images to a computer. The memory card will pop up. Compatible Batteries AASize alkaline batteries and Canon AASize NiMH batteries sold separately pp. 34, 36. Can any other batteries be used. We cannot recommend the use of any other batteries than those listed above because performance varies widely. Can you check the number of shots that can be taken. You can check the number of shots that can be taken when the camera is in a Shooting Mode p. Since the dates and times recorded into your images are based on these settings, be sure to set them. Press the n button. Set the playback mode. Press the 1 button. To take images that are in focus, be sure to first press the shutter button lightly halfway to focus, then take the shot. If you just press the shutter button fully without pausing halfway, the image may not be in focus. The camera can also detect and focus on faces, setting the color and brightness to optimal levels. When the camera focuses, it will beep twice. Green AF frames appear where the subject is in focus. Several AF frames will appear when the camera focuses on more than one point. <http://anadoluparkbahceler.com/upload/dual-rate-manual-battery-charger.xml>

- **canon powershot a480 user manual, canon powershot a480 user manual download, canon powershot a480 user manual instructions, canon powershot a480 user manual free, canon powershot a480 user manual user, canon powershot a480 user manual software, canon powershot a480 user manual guide, canon powershot a480 user manual downloads, canon powershot a480 user manual review.**



Pressing the n button while turning on the camera power will turn off all sounds except for warning sounds. Switching to and from playback mode Pressing the 1 button while the camera is off turns the camera on in playback mode. Pressing it again turns the camera off. Please note that erased images cannot be recovered. Exercise adequate caution before erasing an image. Select the playback mode. Select an image to erase. Canon Brand PictBridge Compliant Printers Sold Separately By connecting your camera to one of the Canon brand PictBridge compliant printers below, you can print your images without having to use a computer. Shooting Time Select the X mode. Select the playback mode. Transferring Images to a Computer Macintosh Camera Window will appear when a connection between the camera and computer is established. Interface Cable IFC400PCU Memory Card DIGITAL CAMERA Solution Disk AC Adapter Kit ACK800 Compact Power Adapter CAPS800 Power Cord. This product is designed to achieve excellent performance when used with genuine Canon accessories. Some accessories are not sold in some regions, or may no longer be available. Power Saving during Shooting The monitor will turn off approximately 1 minute after the camera is last operated. However, the brightness of the image on the screen, and the brightness of the actual image recorded may be different. The menu items are organized under tabs, such as for shooting 4 and playback 1. Muting Sounds Adjusting the Volume Display the menu. Are there functions that cannot be reset. Formatting initializing a memory card erases all data on the memory card. As you cannot retrieve the erased data, exercise adequate caution before formatting the memory card. Copy the images from the memory card to a computer or other device before formatting. Select a shooting mode. What if a flashing When you press the shutter button halfway in low light conditions where camera shake is likely, a flashing it from moving. Press the r button. Select


!. <http://corascent.com/userfiles/dual-record-player-manual.xml>



Digital TeleConverter The focal length of the lens can be increased by an equivalent of 1.4x or 2.3x. This enables a faster shutter speed and less chance of camera shake than the zoom including digital zoom used by itself at the same zoom factor. Once inserted, however, they cannot be deleted. The camera will activate approximately 10 seconds after the shutter button is pressed. You can change the delay time and number of shots taken p. 71. Press the p button. G stands for Program AE. AE stands for Auto Exposure. What if the shutter speed and aperture value are displayed in red. If a correct exposure cannot be obtained when pressing the shutter button halfway, the shutter speed and aperture value display in red. Using the digital zoom will allow you to zoom in even more and shoot while close to the subject. Select the recording pixels. Automatically sets the optimal white balance for the shooting Auto conditions. Day Light Fine weather conditions, outdoor shooting Cloudy Cloudy, shady, twilight conditions Tungsten Tungsten, bulbtype 3wavelength fluorescent lighting Warmwhite fluorescent, coolwhite fluorescent, warmwhite. My Colors Off Emphasizes the contrast and color saturation for a vivid Vivid impression. Neutral Tones down the contrast and color saturation for neutral hues. Sepia Sepia tones. You can now recompose and shoot. This is effective for focusing on a specific point. What if the display does not magnify. Evaluative Center Weighted Avg. Redeye correction may be applied to other red parts than red eyes. Shooting Movies. The latter part explains how to specify images for printing. Searching 9 Images at a Time Jump Bar When the jump bar displays, holding the m button and pressing the qr buttons jumps to the first or last set of images. Each image displays for approximately 3 seconds. Switches between images without transition effect. Fades one image out and the next in. The image slides out to the left and the next image appears.

If you press the qr buttons during playback, the image will switch. Switches between images without a transition effect. Slides images left or right when the qr buttons are pressed. Protected images cannot be erased with the camera's erase function. To erase an image, cancel protection first. Since erased images cannot be recovered, exercise adequate caution before erasing. Protected images p. 92 cannot be erased. \ Rotating Images You can change the orientation of an image and save it. You can then print all the selected images at once or take the memory card to a photo developer to order prints. Please also refer to the Personal Printing Guide. The first part of this chapter explains convenient and commonly used functions. The latter part explains how to change shooting and playback settings to suit your purposes. Turning off the Power Saving Function You can set the power saving function p. Last seen Resumes with the image last viewed. The index also appears at the end. Open the cover and remove the AA batteries p. Do not unplug the power cord or adapter plug with the camera turned on. This could erase images you have taken or damage the camera. If the items below do not solve your problem, contact a Canon Customer Support Help Desk as listed


on the included customer support list. Power You pressed the power button, but nothing happened. Even when the shooting time does not display properly, the video recorded will be the length that it was actually shot p. 28. “!”. Press the power button to turn the camera off and back on p. 38. If this error message continues to display, contact your Canon Customer Support Help Desk as there may be a problem with the lens. Selects individual images for printing. Select All Images Selects all images for printing. Clear All Selections Cancels all settings for printing. Print Settings Sets the printing style.



<https://formations.fondationmironroyer.com/en/node/9514>

If the software installation fails, you can find the manuals in the Readme folder on the Also refer to the PDF manuals on the CDROM. For Canon Customer Support contacts, please see the customer support list supplied with your camera. Chapters 4 onward explain the advanced functions, letting you learn more as you read each chapter. Checking the Package Contents.2 Returning the Camera to Default Read This First. Second SelfTimer. Always ensure that the camera is operated correctly. The safety precautions noted on the following pages are intended to prevent injuries to yourself and other persons, or damage. Do not place the batteries near or in direct flame. Do not let the batteries come into contact with water e.g. sea water or other liquids. Do not attempt to disassemble, alter or apply heat to the batteries. This may cause the camera to malfunction. Remove and store the batteries when are not using the camera. The latter part of this chapter explains how to shoot and view movies and how to transfer images to a computer. Check the cards writeprotect tab. If the memory card has a writeprotect tab, you will not be able to record images if the tab is in the locked position. Slide the tab up until you hear a click. Push the memory card in until you hear a click, then slowly release The memory card will pop up,. Compatible Batteries AAsize alkaline batteries and Canon AAsize NiMH batteries sold separately pp. 34, 36. We cannot recommend the use of any other batteries than those listed above. The number of shots that can be taken wil.You can check the number of shots that can be taken when the camera is in a Shooting Mode p. Since the dates and times recorded into your images are based on these settings, be sure to set them. Turn on the camera. Press the power button. Press the Av buttons to select. To take images that are in focus, be sure to first press the shutter button lightly halfway to focus, then take the shot. Press halfway lightly to the first stop.

<http://asyasunger.com/images/bunn-thermofresh-coffee-maker-manual.pdf>



Planar Model A480-PL Professional Grade Home Cinema Conversion Lens System

USER MANUAL AND INSTALLATION GUIDE

Including the UH480 Lens, ATH1 Transport
and AKPro Projector Attachment Kits


As of February, 2009

Introduction, Basic projection parameters	2
Using the AKPro Attachment Kit	2
Important ceiling mount location considerations	3
Package Contents	4
Attachment Plate Diagram	6
Connecting the AKPro Attachment Plate – PDS130/PDS150	7
Mounting the ATH1 transport	8
Connecting the AKPro Attachment Plate – Viper	11
Mounting the ATH1 transport	13
Final adjustments	16
Programming	17
Aspect Ratio Matrix, Cleaning and Contact information	19

Planar A480-PL User Manual and Installation Guide, Version 2.3, copyright 2009, all rights reserved, Planar Inc.
Page 1

The camera automatically makes the necessary settings for shooting,. The camera can also detect and focus on faces, setting the color and brightness to optimal levels. Turn on the camera. Press the power button. Press the shutter button halfway to focus. When the camera focuses, it will beep twice. Green AF frames appear where subject is in focus. Several AF frames will appear when camera focuses on more than one point. AF Frames shoot. Select the playback mode. Please note that erased images cannot be recovered. Exercise adequate caution before erasing image. The last image you took will appear. Select an image to erase. Items to Prepare Camera and PictBridge compliant printer sold separately Interface cable supplied with the camera p. 2 Turn off the camera and printer. Connect the camera to the printer. Compact Photo Printers Inkjet Printers. If you change the composition of your shot during shooting,. Select the playback mode. Camera Window will appear. Transfer images. Some accessories are not sold in some regions, or may no longer available. Power Supplies. Battery Charger Kit CBK4300 This kit includes both a dedicated charger unit and four rechargeable size NiMH nickel metal hydride batteries. Conventions Used in this Guide Icons are used in the text to represent the camera buttons. Saving during Shooting Power The monitor will turn off approximately 1 minute after the camera is last operated. After about 2 more minutes, the lens will retract and the power will turn off. However, brightness of the image on the screen, and the brightness of the actual image recorded may be different. The menu items differ depending on the mode pp. 118 121 . Display the menu. MENU Press the button. M Uting Sounds Display the menu. Formatting initializing a memory card erases all data on the memory card. As you cannot retrieve the erased data, exercise adequate. Copy the images from the memory card to a computer or other device before formatting.

<http://atamusavirlik.com/images/bunn-tb3-parts-manual.pdf>



You can change the length of time the images. When you select a mode for a specific scene the camera will automatically. Select a shooting mode. Shoot sunsets Sunset Lets you take shots of sunsets in vivid colors. Once inserted, however, they cannot be deleted. Adjust the settings according your purposes pp. The possible shooting range is approximately 10 cm 0.39 3.9 in. from the end of the lens. Using the digital zoom will allow you to zoom in even more and shoot while close to the subject. Select the recording pixels. The setting you selected will display. Approximate Values when Selecting by Paper Size S Suitable for sending. Once set, the ISO speed will appear. Select the white balance. You can set the selftimer to a delay of approximately two seconds. You can now recompose and shoot. This is called Focus Lock. Focus. Center the subject you want in focus, and press the shutter button halfway. Confirm that the AF Frame on the subject is green. Face AiAF Detects. This is effective for focusing on a specific point. However, you should attach the camera to a tripod to prevent the camera from moving and blurring the image. Recording will automatically stop when either the clip file size reaches 4 GB or the recording time reaches approximately 1 hour. The exposure shift bar appears. The selected image will have a green frame and be enlarged. The search method and the position of the currently displayed image will appear. Select a transition effect and start the slideshow. The display will zoom in on the image and will appear. If you continue to hold the zoom button, it will continue to zoom up to a factor of 10x. Since erased images cannot be recovered, exercise adequate caution before erasing. You can then print all the selected images at once or take the memory card to a photo developer. Print Added images The following examples use the Canon SELPHY series printers. Please also refer to the Personal Printing Guide. Number of copies to print.

Connect the camera to the printer p. The first part of this chapter explains convenient and commonly used functions. The latter part explains how to change shooting and playback settings to suit your purposes. You can change the file number assignment. The new folder will be created on the set day and time. Detailed Displays detailed information pl 41i The area inside the AF frame is Focus Check magnified, allowing you to check the focus. The index also appears at the end. Turn off the camera. Plug the cord into the camera. Open the cover and fully insert the adapter plug into the camera.

Connect the power cord. For stubborn dirt contact the closest Canon Customer Support Help Desk as listed on the customer support leaflet supplied with your camera. When you move the camera. Power pressed power. If you center on the light and dark contrasting area of the subject and push the shutter button halfway, or repeatedly push the shutter button halfway, the frame will appear and the camera will focus. Format the memory card in the camera, or use a memory card capable of recording at high speeds. Even when the shooting time does not display properly, the video recorded will be the length that it was actually shot p. Memory card full There is not enough free space on the memory card to shoot pp. 20, 49, 59, 73 or edit images pp. Check image in playback mode. If this error code reappears, note the number and contact your Canon Customer Support Help Desk as there may be a problem with the camera. Selects individual images printing, p. 97 Select All images Selects all images for printing p. 198 Clear All Selections Cancels all settings for printing, p. 98 Print Settings Sets the printing style, p. The finished product, or exterior may differ from this report. Shooting With Macro. Shutter Button. Slideshow. Snow Scene Mode. Software DIGITAL CAMERA Solution Disk.2, 31 Software Starter Guide. The lightweight Canon PowerShot A480 incorporates a 10.

<https://www.sahabatkeluargahomecare.com/wp-content/plugins/formcraft/file-upload/server/content/files/16271ff57b3b5d---bravada-service-manual.pdf>

10 MP CCD sensor and DIGIC III processor delivers highquality images that will produce superb prints up to A3 size. The 3.3x 37122mm optical zoom lens provides the flexibility to frame everyday shots to perfection. The Motion Detection Technology and ISO settings up to 1600 ensures clear, steady shots every time. The PowerShot A480 features Face Detection Technology detects up to 9 faces and adjusts focus, exposure, flash settings and white balance, giving you the true to life people shots. Other highlights include 2.5inch LCD screen, 1cm Macro shooting, Auto RedEye Correction and powered by AA batteries that are easily replaced when out and about or on vacation. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Access your account, or create a new account, click here to get started. Figures for Movie Mode represent total capacity of the particular media. Canon, DIGIC, PIXMA, PowerShot and SELPHY are registered trademarks of Canon Inc. Mac is a trademark of Apple, Inc., registered in the United States and other countries. Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size The Product purchased with this limited warranty is the only PowerShot Digital Camera to which this limited warranty applies. Warranty exchange or replacement does not extend the original warranty period of the Product. The sole warranty, if any, with the respect to such nonCanon brand items is given by the manufacturer or producer thereof. This limited warranty covers all defects encountered in normal use of the Products, and does not apply in the following cases A Canon Customer Care representative will attempt to diagnose the nature of the problem and correct it over the telephone.

autoescuelatosal.com/galeria/files/control-console-operating-manual-quest.pdf

If the problem cannot be corrected over the telephone, you will be asked to follow the applicable procedures for MAILIN SERVICE. Note that a dated proof of purchase is required at the time of service. MAILIN SERVICE is a program under which your Product is repaired by a Canon U.S.A. or a Canon Canada authorized service center for the Product. You will be given the name, address and phone number of an authorized service center. It is your responsibility to properly package and send the defective Product, together with a copy of your dated proof of purchase, a complete explanation of the problem and a return address to the authorized service center at your expense. Do not include any other items with the defective Product. The Product covered by this limited warranty and proven to be defective upon inspection will be repaired and returned to you without charge by the

authorized service center. Any Product received by the authorized service center that is not covered by the limited warranty will be returned unrepaid, or at the discretion of the authorized service center, you may receive a written estimate of repair at such cost as the service center may establish from time to time. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Provides uninterrupted power for shooting or downloading. Effectively doubles the flash range of the camera. Comes with mounting bracket. The cable connects to your camera and to the USB port on your PC or MAC Computer. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. With this Table of Content, you can directly go to the certain part of this article simply by clicking the sub topic below. Contents show 1 An Introduction to Canon PowerShot A480 Manual 1.

1 The Overall Look of Canon PowerShot A480 1.2 The Specification of Canon PowerShot A480 1.2.1 Quick Specification of Canon PowerShot A480 1.3 The Price and Impression of Canon PowerShot A480 2 Canon PowerShot A480 Manual User Guide An Introduction to Canon PowerShot A480 Manual It is such a perpetuation that a product, especially for the digital camera product, can't be separated from its manual. By using this manual, user will be able to understand about their product deeper. Therefore, operating and treating the camera better will be something possible. This is exactly why we provide the Canon PowerShot A480 Manual. The only aim is to educate the users of this camera to use this product better so that they can result a good photographical image. The Overall Look of Canon PowerShot A480 It is generally known that look is something important that becomes a consideration for people in buying digital camera product. With the look, People can instantly attracted to a certain digital camera product. More than that, sometimes the choice of camera look is also reflecting the personality of owner as well as the classiness of the camera itself. So, before we hit the Canon PowerShot A480 Manual User Guide directly, now we are going to talk about the look of this camera first. Canon PowerShot A480 manual says that the camera is constructed by metal clad polycarbonate body. It seems quite plain with allgray domination, but the user is able to choose the black one. Having 92 x 62 x 31 mm body dimension, this camera feels very substantial in most hand. It has lighter body weight than the camera it replaces, the A470, at 140 gram including battery and card. Thing you would like is that the user interface won't be uncomplicated with reasonable size and clearly printed mark buttons. Overall, there is nothing to revise or add since everything is on the right track.

The Specification of Canon PowerShot A480 Introducing the new Canon PowerShot A480, one of the frontrunners in Canon A series entry level. If you think that this product is just an ordinary camera, you are wrong. Constructed in ultracompact body, the A480 brings high feature to support your photography activity. This camera is purposed for daily use for its compact, simple, and of course inexpensive price. Like its slogan "you push the button and we will do the rest", the Canon A480 should be on your wish list. Find out the complete detail as explained below. Focusing on the product's feature and software, first thing to underline is the 10 million effective pixels. Having 6.17 x 4.55 mm CCD Sensor size, this technology brought to you the superfine image at 3648 x 2736. Not only good in capturing image, Canon PowerShot A480 manual also tells that the 480p AV video in the camera will be outstanding too. Canon PowerShot A480 featured builtin lens with 37122 mm focal length, f35.8 maximum aperture, and 1 cm macro focus range. Having this high featured lens, no doubt that the focus will look so professional. The good news is that the A480 advanced DIGIC III as the image processor. This technology has been proved to cut the image processing time and make your camera to be more responsive. MMCplus, MMC, SDHC, and SC card are ready to save your data, feel free the most suitable one. For connectivity, the USB 2.0 allows fast time data transferring. This cool camera brings 2.5 inches LCD Display with 115.000 active dots inside. Now it is more enjoyable to view the image you're photographing in this wider screen. Not only offering

ultracompact body, this camera also equipped by lots of smart features. It's even working by itself without needing much input from the users. The A480 is priced starting from 209 USD, a reasonable price for such an amazing camera. Read another review about this camera in this page.

Canon PowerShot A480 Manual User Guide As it is stated at the beginning of this article, the aim of providing this writing is to bring the Canon PowerShot A480 Manual. This is the manual that will give you the information related to the specification, features, operation, instruction, camera manual, and others. So, for you who want to look for information regarding to this Canon camera product, referencing to the manual below will be the best thing to do. To give you the better access, we will provide the manual in PDF. So, before reaching out to the manual, it will be better if you download the PDF reader software first. Download PowerShot A480 User Manual That's all of the information related to the Canon PowerShot A480 Manual. We hope that the information below could be beneficial to update your understanding toward this camera product. If you have any thoughts about this product in general, we welcome you to put them in the comment session below. And if you find this information is useful, sharing this article in your personal page will be so much appreciated. By continuing to use this website, you agree to their use. Please consider supporting us by disabling your ad blocker. Refresh. Something went wrong. Get the item you ordered or your money back. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Post your question here in this forum. We're committed to dealing with such abuse according to the laws in your country of residence. When you submit a report, we'll investigate it and take the appropriate action. We'll get back to you only if we require additional details or have more information to share. Note that email addresses and full names are not considered private information. Please mention this; Therefore, avoid filling in personal details. Please enter your email address. JSFiddle or its authors are not responsible or liable for any loss or damage of any kind during the usage of provided code.

You may find documents other than just We keep our list of direct Canon PowerShot A480 driver and firmware links up to date so they are easy to find when you need them. For sure products, a driver is necessary to enable the connection between your product as well as a computer system. On this tab, you will locate the suitable drivers for your item or in the absence of any kind of drivers, an explanation of your item's compatibility with each operating system. It is not called for to mount a driver. For setting up a WiFi link please describe the individual manual of your product On this tab, you could check out as well as download and install the available software application for your item. It is not required to install a driver. For setting up a WiFi connection please refer to the user manual of your product. It's cheerful plastic body is chunky at 30mm thick, although its width and height mean it's still pocketable. You get a 3.3x optical zoom, a 10 megapixel sensor and the same subtwo second startup time of its more expensive Ixus peers. But the camera lacks image stabilisation, plus its 2.5in screen is lower resolution and grainy compared to the other Canon models. Probably the biggest drawback is the fact it uses alkaline AA batteries. Those disadvantages are almost forgotten when you start using the A480. In use it's quick and fussfree and, from the front at least, it won't shame you when you take it out in public, though controls round the back do look and feel a bit toylike. It's just as swift and sure in its focus as more expensive models, and a shottoshot time of three seconds isn't shabby at all. Canon's expertise in getting the essentials right shows; we never found ourselves becoming frustrated or missing shots. The menu navigation is a subset of the same system the Ixus models use, and you get manual controls including the likes of spotmetering and even a histogram facility to check exposure.

In fact, the impression you get of the A480 is of a highend engine wrapped up in a cheap body. Image quality is similar to the more expensive Canons, with clean shots and good detail undermined only by more chromatic aberration than we'd like, especially in the corners. Lowlight performance is acceptable images are noisy, but just about pass muster. Amazingly, all this places the A480 third

overall in our image quality rankings. If you're the sort of person who wants a technofetish gadget, you'll need to spend more than this on your compact. The lack of a lithium ion battery, and thus poorer battery life and less convenience, are also minus points. But if you're after a pocketable, cheap and capable camera, the A480 is a cute little bargain. Details Image quality 6 Basic specifications Camera megapixel rating 10.0MP Camera screen size 2.5in Camera optical zoom range 3.3x Camera maximum resolution 3,648 x 2,736 Weight and dimensions Weight 144g Dimensions 92 x 30 x 62mm WDH Battery Battery type included Alkaline AA Battery life CIPA standard 200 shots Charger included.Disclaimer Some pages on this site may include an affiliate link. This does not effect our editorial in any way. You may also like Quick poll When was the last time you used a proper camera. Everything You NEED to Know about The TV Streaming App Victoria Woollaston June 19, 2020 How to Delete a Microsoft Account Arch Williams June 17, 2020 How to install Google Play on an Amazon Fire TV Stick Victoria Woollaston August 19, 2020 How to Factory Reset Your iPhone or iPad A Simple Guide to Wiping Your iOS Device Cassandra August 11, 2020 How to Configure Display Scaling in Windows 10 Curtis Moldrich June 6, 2020 What is About Blank. Should you remove it. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Canon A480 User Manual Guide.

<http://freedu.co.za/node/81323>